Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:** 

1. (withdrawn) A method of packaging an electronic tag, the method comprising:

heating the electronic tag so as to remove contaminants from an internal volume therein:

filling the internal volume with a potting material; and

hermetically sealing the internal volume within an outer shell.

2. (withdrawn) The method of claim 1, wherein the outer shell comprises a polymer

material.

3. (withdrawn) The method of claim 2, wherein the polymer material comprises

polytetrafluoroethylene.

4. (withdrawn) The method of claim 1, wherein the outer shell comprises a ceramic

material.

5. (withdrawn) The method of claim 1, wherein the outer shell comprises an epoxy

material.

(withdrawn) The method of claim 5, wherein the epoxy material comprises at least

one of a ceramic epoxy and a glass-filled epoxy.

22.1444 (Appl. No. 10/025,286 Amdt. Dated October 17, 2005

Reply to Office communication of September 16, 2005

Page 3 of 26

PAGE 5/27 \* RCVD AT 10/17/2005 1:55:40 PM [Eastern Daylight Time] \* SVR:USPTO-EFXRF-6/28 \* DMIS:2738300 \* CSID:+281 285 8358 \* DURATION (mm-5s):04-46

7. (withdrawn) The method of claim 1, wherein the potting material comprises at least

one of a dielectric material, a chemically inert material, and a substantially non-

outgassing material.

8. (withdrawn) The method of claim 1, wherein the potting material comprises at least

one of a polymer, an epoxy, a gel, and a viscous oil.

9. (withdrawn) The method of claim 1, wherein the heating, filling, and sealing are

performed in a substantially zero-humidity environment.

10. (withdrawn) The method of claim 9, wherein the substantially zero-humidity

environment comprises an argon atmosphere.

11. (withdrawn) The method of claim 9, wherein the substantially zero-humidity

environment comprises a nitrogen atmosphere.

12. (withdrawn) The method of claim 1, wherein the internal volume is hermetically

sealed while the electronic tag is under a vacuum.

13. (withdrawn) The method of claim 1, further comprising positioning an adsorptive

material in the internal volume.

14. (withdrawn) The method of claim 13, wherein the adsorptive material is a material

selected from the group consisting of alumina, activated charcoal, calcium

aluminosilicate, montmorillonite clay porcelain, silica gel, a molecular sieve, and a

metal silicate molecular sieve.

22.1444 (Appl. No. 10/025,286 Amdt Dated October 17, 2005

Reply to Office communication of September 16, 2005

Page 4 of 26

PAGE 6/27 \* RCVD AT 10/17/2005 1:55:40 PM [Eastern Daylight Time] \* SVR:USPTO-EFXRF-6/28 \* DNIS:2738300 \* CSID:+281 285 8358 \* DURATION (mm-ss):04-46

15. (withdrawn) The method of claim 13, wherein the adsorptive material comprises a

molecular sieve.

16. (withdrawn) The method of claim 15, wherein the molecular sieve comprises an

organosilicate or an organoaluminosilicate.

17. (withdrawn) The method of claim 13, wherein the adsorptive material comprises a

metal silicate molecular sieve.

18. (withdrawn) The method of claim 17, wherein the metal silicate molecular sieve

comprises aluminophosphate.

19. (withdrawn) The method of claim 13, wherein the adsorptive material comprises a

desiccant.

20. (withdrawn) The method of claim 13, wherein the adsorptive material comprises

sodium aluminosilicate.

21. (withdrawn) The method of claim 13, wherein the adsorptive material comprises a

zeolite.

22. (withdrawn) The method of claim 13, wherein the adsorptive material may be selected

so as to selectively adsorb a specific fluid.

22.1444 (Appl. No. 10/025,286 Amdt. Dated October 17, 2005 Reply to Office communication of September 16, 2005

Page 5 of 26

PAGE VISY \* RCVD AT 10/17/2005 1:55:40 PM [Eastern Daylight Time] \* SVR:USPTO-EFXRF-6/28 \* DMIS:2738300 \* CSID:+281 285 8558 \* DURATION (mm-ss):04-46

(withdrawn) The method of claim 13, wherein the adsorptive material is adapted to 23.

adsorb a corrosive gas.

(withdrawn) The method of claim 13, wherein the adsorptive material is adapted to 24.

adsorb water vapor.

(withdrawn) The method of claim 13, wherein the adsorptive material is effective at a 25.

temperature greater than about 200°F.

(withdrawn) A method of packaging an electronic tag, the method comprising: 26.

heating the electronic tag so as to remove contaminants from an internal volume

therein:

filling the internal volume with a potting material;

filling any remaining volume within the internal volume with an inert gas; and

hermetically sealing the internal volume within an outer shell.

(withdrawn) The method of claim 26, wherein the potting material comprises at least 27.

one of a dielectric material, a chemically inert material, and a substantially non-

outgassing material.

(withdrawn) The method of claim 26, wherein the potting material comprises at least 28.

one of a polymer, an epoxy, a gel, and a viscous oil.

(withdrawn) The method of claim 26, wherein the outer shell comprises a polymer 29.

material.

22.1444 (Appl. No. 10/025,286 Arndt, Dated October 17, 2005

Reply to Office communication of September 16, 2005

Page 6 of 26

19:10

PAGE 8/27 \* RCVD AT 10/17/2005 1:55:40 PM [Eastern Daylight Time] \* SVR:USPTO-EFXRF-6/28 \* DNIS:2738300 \* CSID:+281 285 8358 \* DURATION (mm-ss):04-46

30. (withdrawn) The method of claim 26, wherein the outer shell comprises a ceramic

material.

31. (withdrawn) The method of claim 26, wherein the outer shell comprises an epoxy

material.

32. (withdrawn) The method of claim 26, wherein the heating, filling, and sealing are

performed in a substantially zero-humidity environment.

33. (withdrawn) The method of claim 26, wherein the inert gas comprises argon.

(withdrawn) The method of claim 26, wherein the inert gas comprises nitrogen. 34.

35. (withdrawn) The method of claim 26, wherein the internal volume is hermetically

sealed while the electronic tag is under a vacuum.

36. (withdrawn) The method of claim 26, further comprising absorbing any remaining

contaminants with an adsorptive material positioned in the internal volume.

(withdrawn) A method of packaging an electronic tag, the method comprising: 37.

heating the electronic tag so as to remove contaminants from an internal volume

therein; and

hermetically sealing the internal volume within an outer shell.

22.1444 (Appl. No. 10/025,286 Amdt. Dated October 17, 2005 Reply to Office communication of September 16, 2005

PACE 9/27 \* RCVD AT 10/17/2005 1:55:40 PM [Eastern Daylight Time] \* SVR:USPTO-EFXRF-6/28 \* DNIS:2738300 \* CSID:+281 285 8358 \* DURATION (mm-ss):04-46

38. (withdrawn) The method of claim 37, wherein the outer shell comprises a polymer

material.

39. (withdrawn) The method of claim 37, wherein the outer shell comprises a ceramic

material.

40. (withdrawn) The method of claim 37, wherein the outer shell comprises an epoxy

material.

41. (withdrawn) The method of claim 37, further comprising absorbing any remaining

contaminants with an adsorptive material positioned in the internal volume.

42. (withdrawn) The method of claim 37, wherein the internal volume is hermetically

sealed while the electronic tag is under a vacuum.

43. (withdrawn) The method of claim 37, further comprising filling any remaining volume

within the internal volume with an inert gas.

44. (withdrawn) The method of claim 43, wherein the inert gas comprises argon.

45. (withdrawn) The method of claim 43, wherein the inert gas comprises nitrogen.

46. (withdrawn) A method of packaging an electronic tag, the method comprising:

applying a first coating to a circumferential antenna and an electronic tag, the first coating

comprising at least one of polytetrafluoroethylene and poly-paraxylene;

22.1444 (Appl. No. 10/025,286 Amdt. Dated October 17, 2005 Reply to Office communication of September 16, 2005

Page 8 of 26

PAGE 10/27 \* RCVD AT 10/17/2005 1:55:40 PM [Eastern Daylight Time] \* SVR:USPTO-EFXRF-6/28 \* DNIS:2738300 \* CSID:+281 285 8358 \* DURATION (mm-ss):04-46

applying a second coating of a polymer adapted to provide structural support to the

circumferential antenna and the electronic tag.

47. (withdrawn) The method of claim 46, wherein the first and second coatings comprise

substantially non-outgassing materials.

48. (withdrawn) The method of claim 46, wherein the applying is performed in a

substantially zero-humidity environment.

49. (withdrawn) The method of claim 46, wherein applying the second coating comprises

dipping the circumferential antenna and the electronic tag in a polymer coating.

50. (withdrawn) The method of claim 46, wherein applying the second coating comprises:

positioning the circumferential antenna and the electronic tag in a mold; and

injecting the polymer into the mold so as to form a structurally supportive layer over the

chemically resistant material.

51. (withdrawn) The method of claim 46, wherein applying the second coating comprises:

positioning the circumferential antenna, the electronic tag, and the polymer in a mold; and

compressing the polymer into the mold so as to form a structurally supportive layer over the

chemically resistant material.

52. (withdrawn) The method of claim 46, wherein a viscosity of the polymer is selected so

as to control a thickness of the second coating.

22.1444 (Appl. No. 10/025,286 Amdt, Dated October 17, 2005

Reply to Office communication of September 16, 2005

Page 9 of 26

PAGE 11/127 \* RCVD AT 10/17/2005 1:55:40 PM [Eastern Daylight Time] \* SVR:USPTO-EFXRF-6/28 \* DNIS:27:38:300 \* CSID:+281 285 8:358 \* DURATION (mm-ss):04-46

53. (withdrawn) The method of claim 46, further comprising hermetically sealing the

circumferential antenna and the electronic tag in a polymer material.

54. (withdrawn) The method of claim 53, wherein the polymer material comprises

polytetrafluoroethylene.

55. (withdrawn) The method of claim 46, further comprising hermetically sealing the

circumferential electronic tag in a ceramic material.

56. (withdrawn) The method of claim 46, further comprising hermetically sealing the

circumferential electronic tag in an epoxy material.

57. (withdrawn) The method of claim 56, wherein the epoxy material comprises at least

one of a ceramic epoxy and a glass-filled epoxy.

58. (withdrawn) A method of positioning an electronic tag in a tubular member, the

method comprising:

positioning an electronic tag in a slot formed at a selected azimuthal location in an

inner wall of the tubular member;

filling the slot with a potting material so as to adhesively bond the electronic tag to the

slot.

59. (withdrawn) The method of claim 58, wherein the potting material comprises at least

one of a dielectric material, a chemically inert material, and a substantially non-

outgassing material.

22.1444 (Appl. No. 10/025,286 Amdi. Daicd October 17, 2005

Reply to Office communication of September 16, 2005

Page 10 of 26

PAGE 1222 \* RCVD AT 10/17/2005 1:55:40 PM [Eastern Daylight Time] \* SVR:USPTO-EFXRF-6/28 \* DNIS:2738300 \* CSID:+281 285 8358 \* DURATION (mm-ss):04-46

60. (withdrawn) The method of claim 58, wherein the potting material comprises at least

one of a polymer, an epoxy, a gel, and a viscous oil.

61. (withdrawn) The method of claim 58, wherein the slot comprises an undercut adapted

to secure the electronic tag in place after the potting material hardens.

62. (withdrawn) The method of claim 58, further comprising positioning a cover in the

slot, the cover adapted to substantially cover at least a portion of the electronic tag

proximate the inner wall of the tubular member.

63. (withdrawn) The method of claim 62, wherein the cover comprises a flange adapted to

mechanically secure the electronic tag in place after the potting material hardens.

64. (withdrawn) A method of positioning an electronic tag in a tubular member, the

method comprising:

radially expanding the diameter of a circumferential mounting ring coupled to the

electronic tag so as to secure the electronic tag against the inner wall of the tubular.

65. (withdrawn) A method of positioning electronic tags in a tubular member, the method

comprising:

positioning an electronic tag in each of a plurality of slots formed at selected

azimuthal and axial locations in an inner wall of the tubular member;

filling each of the plurality of slots with a potting material so as to adhesively bond

each electronic tag to its corresponding slot.

22,1444 (Appl. No. 10/025,286 Amdt. Dated October 17, 2005

Reply to Office communication of September 16, 2005

Page 11 of 26

- 66. (withdrawn) A method of positioning an electronic tag in a tubular member, the method comprising:
  - positioning an electronic tag in an undercut slot formed at a selected azimuthal location in an inner wall of the tubular member;
  - filling the undercut slot with a potting material so as to adhesively bond the electronic tag to the undercut slot, the undercut slot adapted to secure the electronic tag in place after the potting material hardens.
- 67. (withdrawn) A method of positioning an electronic tag in a tubular member, the method comprising:
  - positioning the electronic tag in a slot formed at a selected azimuthal location in an inner wall of the tubular member;
  - positioning a cover in the slot, the cover adapted to substantially cover at least a portion of the electronic tag proximate the inner wall of the tubular member; and
  - filling the slot with a potting material so as to adhesively bond the electronic tag and the cover in the slot.
- 68. (withdrawn) A method of positioning an electronic tag in a tubular member, the method comprising:
  - positioning the electronic tag in an undercut slot formed at a selected azimuthal location in an inner wall of the tubular member;
  - positioning a cover in the undercut slot, the cover adapted to substantially cover at least a portion of the electronic tag proximate the inner wall of the tubular member; and

filling the slot with a potting material so as to adhesively bond the electronic tag and

22.1444 (Appl. No. 10/025,286 Amdt. Dated October 17, 2005 Reply to Office communication of September 16, 2005

Page 12 of 26

the cover to the undercut slot, the undercut slot adapted to secure the installed electronic tag in place after the potting material hardens.

69. (withdrawn) A method of positioning an electronic tag in a tubular member, the method comprising:

positioning a threaded electronic tag in a threaded slot formed at a selected azimuthal location in an inner wall of the tubular member.

70. (withdrawn) A method of positioning an electronic tag in a tubular member, the method comprising:

positioning a threaded electronic tag in a threaded slot formed at a selected azimuthal location in an inner diameter of the tubular member;

filling a space between the threaded slot and the threaded electronic tag with a potting material, the potting material adapted to adhesively bond the threaded electronic tag to the threaded slot.

71. (withdrawn) A method of positioning an electronic tag between easing joints, the method comprising:

threadedly coupling a casing collar to a first casing joint;

threadedly coupling a threaded ring to an internal diameter of the casing collar, the threaded ring comprising an electronic tag; and

threadedly coupling the casing collar to a second casing joint.

72. (withdrawn) The method of claim 71, wherein the threaded ring comprises a split ring.

22.1444 (Appl. No. 10/025,286 Amdl. Dated October 17, 2005 Reply to Office communication of September 16, 2005

Page 13 of 26

- 73. (withdrawn) A method of positioning an electronic tag in a tubular member, the method comprising:
  - positioning the electronic tag in a circumferential mounting ring;
  - positioning the circumferential mounting ring proximate an undercut slot formed in an inner wall of the tubular member; and
  - inserting the circumferential mounting ring into the undercut slot by deforming the circumferential mounting ring, wherein the circumferential mounting ring is adapted to return to a substantially undeformed state within the undercut slot after insertion therein.
- 74. (withdrawn) The method of claim 73, wherein the circumferential mounting ring comprises a split ring.
- 75. (withdrawn) The method of claim 73, wherein the circumferential mounting ring comprises ridges formed on an outer surface thereof, the ridges adapted to axially secure the circumferential mounting ring in the undercut slot.
- 76. (withdrawn) A method of positioning an electronic tag between tubular members, the method comprising:
  positioning the electronic tag in a circumferential mounting ring;
  positioning the circumferential mounting ring proximate an inner surface of a collar;
  positioning the collar between first and second tubular members in the wellbore.
- 77. (withdrawn) The method of claim 76, wherein the circumferential mounting ring comprises a split ring.

22.1444 (Appl. No. 10/025,286 Amdt. Dated October 17, 2005

Reply to Office communication of September 16, 2005

Page 14 of 26

- 78. (withdrawn) The method of claim 76, wherein the circumferential mounting ring comprises ridges formed on an outer surface thereof, the ridges adapted to axially secure the circumferential mounting ring to the inner surface of the collar.
- 79. (withdrawn) The method of claim 76, wherein the circumferential mounting ring comprises a ceramic material.
- 80. (withdrawn) The method of claim 76, wherein the circumferential mounting ring comprises an epoxy material.
- 81. (withdrawn) The method of claim 76, wherein the circumferential mounting ring comprises polytetrafluoroethylene.
- 82. (withdrawn) A method of positioning a circumferential electronic tag in a tubular member, the method comprising:
  - positioning the circumferential electronic tag proximate an undercut slot formed in an inner wall of the tubular member; and
  - inserting the circumferential electronic tag into the undercut slot by deforming the circumferential electronic tag, wherein the electronic tag is adapted to return to a substantially undeformed state within the undercut slot after insertion therein.
- 83. (withdrawn) The method of claim 82, further comprising filling the undercut slot with a potting material after positioning the electronic tag therein.
- 84. (withdrawn) A method of positioning an electronic tag in a tubular member, the

22.1444 (Appl. No. 10/025,286 Amdt. Dated October 17, 2005 Reply to Office communication of September 16, 2005

Page 15 of 26

į

method comprising:

positioning the electronic tag proximate a circumferential slot formed in an inner wall of the tubular member; and

radially expanding a diameter of a circumferential mounting ring coupled to the electronic tag so as to secure the electronic tag in the slot.

- 85. (withdrawn) The method of claim 84, further comprising filling the slot with a potting material after positioning the electronic tag therein.
- 86. (withdrawn) A method of positioning an electronic tag in a tubular member, the method comprising:

positioning the electronic tag proximate a circumferential undercut slot formed in an inner wall of the tubular member; and

radially expanding a diameter of a circumferential installation ring coupled to the electronic tag so as to secure the electronic tag in the slot.

- 87. (withdrawn) The method of claim 86, further comprising filling the undercut slot with a potting material after positioning the electronic tag therein.
- 88. (withdrawn) A method of positioning a circumferential electronic tag in a tubular member, the method comprising:

compressing a biased tab disposed on the circumferential electronic tag;

positioning the electronic tag in a circumferential undercut slot formed in an inner wall of the tubular member; and

releasing the biased tab so as to secure the electronic tag in the undercut slot.

22.1444 (Appl. No. 10/025,286 Amdt. Dated October 17, 2005 Reply to Office communication of September 16, 2005

Page 16 of 26

PAGE 18/27 \* RCVD AT 10/17/2005 1:55:40 PM [Eastern Daylight Time] \* SVR:USPTO-EFXRF-6/28 \* DNIS:27:38:300 \* CSID:+281 285 8:358 \* DURATION (mm-ss):04-46

- 89. (withdrawn) The method of claim 88, further comprising filling the undercut slot with a potting material.
- 90. (withdrawn) A method of positioning a circumferential electronic tag in a tubular member, the method comprising:
  - positioning the circumferential electronic tag in a circumferential slot formed in an inner wall of the tubular member, the circumferential slot comprising at least one tab formed proximate the inner wall of the tubular member; and deforming the at least one tab so as to secure the electronic tag in the slot.
- 91. (withdrawn) The method of claim 90, further comprising filling the slot with a potting material.
- 92. (Original) An electronic tag apparatus, comprising:
  - a slot formed at a selected azimuthal location in an inner wall of a tubular member; an electronic tag disposed in the slot; and
  - a potting material disposed in the slot, the potting material adapted to form a barrier between the electronic tag and the inner wall of the tubular member and to adhesively bond the electronic tag to the slot.
- 93. (Original) The apparatus of claim 92, further comprising a cover adapted to be positioned in the slot and to cover at least a portion of the electronic tag.
- 94. (Original) The apparatus of claim 93, wherein the cover comprises a flange adapted

22.1444 (Appl. No. 10/025,286 Amdt. Dated October 17, 2005 Reply to Office communication of September 16, 2005

Page 17 of 26

PACE 19/27 \* RCVD AT 10/17/2005 1:55:40 PM [Eastern Daylight Time] \* SVR:USPTO-EFXRF-6/28 \* DNIS:2738300 \* CSID:+281 285 8358 \* DURATION (mm-ss):04-46

to mechanically secure the cover in the slot.

95. (Original) An electronic tag apparatus, comprising:

a plurality of slots formed at selected azimuthal and axial locations in an inner wall of a tubular member;

an electronic tag disposed in each slot; and

a potting material disposed in the plurality of slots, the potting material adapted to
form a barrier between each electronic tag and the inner wall of the tubular
member and to adhesively bond each electronic tag to its corresponding slot.

96. (Original) An electronic tag apparatus, comprising:

a circumferential undercut slot formed in an inner wall of a tubular member;

an electronic tag disposed in the undercut slot; and

a potting material disposed in the undercut slot, the potting material adapted to form a barrier between the electronic tag and the inner wall of the tubular member and to adhesively bond the electronic tag to the slot.

- 97. (Original) The apparatus of claim 96, wherein the electronic tag comprises a flexible metal installation ring adapted to deform when being inserted into the slot and to return to a substantially undeformed shape after insertion.
- 98. (Original) The apparatus of claim 96, wherein the electronic tag comprises a flexible polytetrafluoroethylene installation ring adapted to deform when being inserted into the slot and to return to a substantially undeformed shape after insertion.

22.1444 (Appl. No. 10/025,286 Amdt. Dated October 17, 2005 Reply to Office communication of September 16, 2005

Page 18 of 26

- 99. (Original) The apparatus of claim 96, wherein the electronic tag comprises a flexible epoxy installation ring adapted to deform when being inserted into the slot and to return to a substantially undeformed shape after insertion.
- 100. (Original) The apparatus of claim 96, wherein the electronic tag comprises a ratchet installation ring adapted to radially expand so as to fit within the circumferential slot.
- 101. (Original) The apparatus of claim 96, wherein the electronic tag comprises biased tabs formed thereon, the tabs adapted to compress so the electronic tag can be inserted in the slot and to release into a securing position after insertion.
- 102. (Original) An electronic tag apparatus, comprising:
  a circumferential slot formed in an inner wall of a tubular member; and
  an electronic tag coupled to a circumferential ring, the circumferential ring disposed in
  the undercut slot and adapted to secure the electronic tag in place.
- 103. (Original) The apparatus of claim 102, wherein the circumferential ring comprises a flexible metal installation ring adapted to deform when being inserted into the slot and to return to a substantially undeformed shape after insertion.
- 104. (Original) The apparatus of claim 102, wherein the circumferential ring comprises a ratchet installation ring adapted to radially expand so as to fit within the circumferential slot.
- 105. (Original) The apparatus of claim 102, wherein the circumferential ring comprises biased tabs formed thereon, the tabs adapted to compress so the circumferential ring

22.1444 (Appl. No. 10/025,286 Amdt. Dated October 17, 2005 Reply to Office communication of September 16, 2005

Page 19 of 26

can be inserted in the slot and to release into a securing position after insertion.

- 106. (Original) The apparatus of claim 102, wherein the circumferential ring comprises a polymer material.
- 107. (Original) The apparatus of claim 102, wherein the circumferential ring comprises a ceramic material.
- 108. (Original) The apparatus of claim 102, wherein the circumferential ring comprises an epoxy.
- 109. (Original) The apparatus of claim 102, wherein the circumferential ring comprises ridges formed on an outer surface thereof, the ridges adapted to axially secure the circumferential ring in place in the circumferential slot.
- 110. (Original) The apparatus of claim 102, wherein the circumferential ring comprises a split ring.
- 111. (withdrawn) An electronic tag apparatus, comprising:
  - a first casing joint comprising threads formed on an outer surface thereof;
  - a second casing joint comprising threads formed on an outer surface thereof;
  - a casing collar comprising threads formed on an inner surface thereof, the casing collar threadedly connected to the first casing joint and the second casing joint; and
  - a threaded ring comprising an electronic tag and threads formed on an outer surface

22.1444 (Appl. No. 10/025,286 Amdt. Dated October 17, 2005 Reply to Office communication of September 16, 2005

Page 20 of 26

thereof, the threaded ring threadedly connected to the casing collar and positioned between the first and second casing joints.

- 112. (withdrawn) The apparatus of claim 111, wherein the threaded ring comprises a split ring.
- 113. (withdrawn) An electronic tag apparatus, comprising:
  - a first tubular member comprising a circumferential slot formed proximate an end thereof;
  - an electronic tag coupled to a circumferential ring, the circumferential ring disposed in the circumferential slot; and
  - a second tubular member positioned adjacent to the first tubular member proximate
    the slotted end so as to axially restrain the circumferential ring in the
    circumferential slot.
- 114. (withdrawn) The apparatus of claim 113, wherein the circumferential ring comprises a flexible metal ring adapted to deform when being inserted into the slot and to return to a substantially undeformed shape after insertion.
- 115. (withdrawn) The apparatus of claim 113, wherein the circumferential ring comprises a flexible polytetrafluoroethylene ring adapted to deform when being inserted into the slot and to return to a substantially undeformed shape after insertion.
- (withdrawn) The apparatus of claim 113, wherein the circumferential ring comprises a flexible epoxy ring adapted to deform when being inserted into the slot and to return to a substantially undeformed shape after insertion.

22.1444 (Appl. No. 10/025,286 Amdt. Dated October 17, 2005 Reply to Office communication of September 16, 2005

Page 21 of 26

PAGE 23/27 \* RCVD AT 10/17/2005 1:55:40 PM [Eastern Daylight Time] \* SVR:USPTO-EFXRF-6/28 \* DMIS:2738300 \* CSID:+281 285 8358 \* DURATION (mm-ss):04-46

117. (withdrawn) The apparatus of claim 113, wherein the circumferential ring comprises a

ratchet ring adapted to radially expand so as to fit within the circumferential slot.

118. (withdrawn) The apparatus of claim 113, wherein the circumferential ring comprises a

polymer material.

119. (withdrawn) The apparatus of claim 113, wherein the circumferential ring comprises a

ceramic material.

120. (withdrawn) The apparatus of claim 113, wherein the circumferential ring comprises

an epoxy.

121. (withdrawn) The apparatus of claim 113, wherein the circumferential ring comprises

ridges formed on an outer surface thereof, the ridges adapted to axially secure the

circumferential ring in place in the circumferential slot.

122. (withdrawn) The apparatus of claim 113, wherein the circumferential ring comprises a

split ring.

123. (withdrawn) An electronic tag apparatus, comprising:

a first tubular member comprising a slot formed proximate an end thereof, the slot

forming an opening in an inner surface of the tubular member;

an electronic tag disposed in the slot; and

a second tubular member positioned adjacent to the first tubular member proximate

22.1444 (Appl. No. 10/025,286 Amdt. Dated October 17, 2005

Reply to Office communication of September 16, 2005

Page 22 of 26

PAGE 24/27 \* RCVD AT 10/17/2005 1:55:40 PM [Eastern Daylight Time] \* SVR:USPTO-EFXRF-67/28 \* DNIS:27:38:300 \* CSID:+281 285 8358 \* DURATION (mm-ss):04-46

the slotted end so as to axially restrain the electronic tag in the slot.

124. (withdrawn) The apparatus of claim 123, wherein the slot is filled with a potting material after the electronic tag is disposed therein.

125. (withdrawn) An electronic tag apparatus, comprising:

first and second tubular members disposed in a wellbore;

a collar disposed between the first and second tubular members; and

a circumferential ring comprising an electronic tag coupled thereto, the circumferential ring disposed proximate a circumferential slot formed in an inner surface of the collar.

- 126. (withdrawn) The apparatus of claim 125, wherein the circumferential ring comprises a flexible metal ring adapted to deform when being inserted into the slot and to return to a substantially undeformed shape after insertion.
- 127. (withdrawn) The apparatus of claim 125, wherein the circumferential ring comprises a flexible polytetrafluoroethylene ring adapted to deform when being inserted into the slot and to return to a substantially undeformed shape after insertion.
- 128. (withdrawn) The apparatus of claim 125, wherein the circumferential ring comprises a flexible epoxy ring adapted to deform when being inserted into the slot and to return to a substantially undeformed shape after insertion.
- 129. (withdrawn) The apparatus of claim 125, wherein the circumferential ring comprises a

22.1444 (Appl. No. 10/025,286 Amdt. Dated October 17, 2005 Reply to Office communication of September 16, 2005

Page 23 of 26

PAGE 25/27 \* RCVD AT 10/17/2005 1:55:40 PM [Eastern Daylight Time] \* SVR:USPTO-EFXRF-6/28 \* DNIS:2738300 \* CSID:+281 285 8358 \* DURATION (mm-ss):04-46

ratchet ring adapted to radially expand so as to fit within the circumferential slot.

- 130. (withdrawn) The apparatus of claim 125, wherein the circumferential ring comprises a polymer material.
- 131. (withdrawn) The apparatus of claim 125, wherein the circumferential ring comprises a ceramic material.
- 132. (withdrawn) The apparatus of claim 125, wherein the circumferential ring comprises an epoxy.
- 133. (withdrawn) The apparatus of claim 125, wherein the circumferential ring comprises ridges formed on an outer surface thereof, the ridges adapted to axially secure the circumferential ring in place in the circumferential slot.
- 134. (withdrawn) The apparatus of claim 125, wherein the circumferential ring comprises a split ring.
- 135. (withdrawn) An electronic tag apparatus comprising:
  - a tubular member;
  - an electronic tag disposed in the tubular member; and
  - a signal boosting apparatus disposed in the tubular member proximate the electronic tag.
- 136. (withdrawn) The apparatus of claim 135, wherein the signal boosting apparatus

22.1444 (Appl. No. 10/025,286 Amdt. Dated October 17, 2005 Reply to Office communication of September 16, 2005

Page 24 of 26

PAGE 26/27 \* RCVD AT 10/17/2005 1:55:40 PM [Eastern Daylight Time] \* SVR:USPTO-EFXRF-6/28 \* DNIS:27/38/300 \* CSID:+281 285 8358 \* DURATION (mm-ss):04-46

comprises a wire loop and the electronic tag is disposed inside the wire loop.

137. (withdrawn) The apparatus of claim 135, wherein the signal boosting apparatus comprises a wire loop and the electronic tag is disposed outside the wire loop.

138. (withdrawn) The apparatus of claim 135, wherein the signal boosting apparatus comprises a wire loop, and at least a portion of the wire loop is wound around a core.

139. (withdrawn) The apparatus of claim 138, wherein the core comprises ferrite.

140. (withdrawn) The apparatus of claim 138, wherein the portion the wire loop wound around the core forms a spring so that the signal boosting device may be deformed so as to install the signal boosting device in the tubular member.

141. (withdrawn) The apparatus of claim 135, further comprising an installation ring, wherein the electronic tag and the signal boosting apparatus are disposed in slots formed in the installation ring, and the installation ring is adapted to be disposed in the tubular member.

142. (withdrawn) The apparatus of claim 135, wherein the electronic tag is coupled to the signal boosting apparatus.

143. (withdrawn) The apparatus of claim 142, wherein the electronic tag is formed as a disk and is coupled to an exterior surface of a metal ring comprising the signal boosting apparatus.

22.1444 (Appl. No. 10/025,286 Arndt. Dated October 17, 2005 Reply to Office communication of September 16, 2005

Page 25 of 26